

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Hawthorne

### Outdoor Wall Sconce 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens
WS-W33111 11"	3000K 90	BK Black	11W	800	173

Example: **WS-W33111-BK**

For custom requests please contact [customs@wacighting.com](mailto:customs@wacighting.com)

#### DESCRIPTION

Poetic justice. Lighting the high road.

#### FEATURES

- Flat diamond hammered glass diffuser on four sides
- Open bottom for easy cleaning
- Downlight illumination from the light source
- ACLED driverless technology
- 5 year warranty

#### SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC,50/60Hz
CRI:	90
Dimming:	ELV: 100-10% ,TRIAC: 100-10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL
	Wet Location Listed
Construction:	Aluminum body, hammered glass diffuser




#### FINISHES:



Black

#### LINE DRAWING:



WS-W33111

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Hawthorne

### Outdoor Wall Sconce 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens
WS-W33118 18"	3000K 90	BK Black	16W	1200	256

Example: **WS-W33118-BK**

For custom requests please contact [customs@wacighting.com](mailto:customs@wacighting.com)

#### DESCRIPTION

Poetic justice. Lighting the high road.

#### FEATURES

- Flat diamond hammered glass diffuser on four sides
- Open bottom for easy cleaning
- Downlight illumination from the light source
- ACLED driverless technology
- 5 year warranty

#### SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC,50/60Hz
CRI:	90
Dimming:	ELV: 100-10% ,TRIAC: 100-10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL
	Wet Location Listed
Construction:	Aluminum body, hammered glass diffuser

#### REPLACEMENT PARTS

RPL-GLA-33118-FR - Front Glass

RPL-GLA-33118-SI - Side Glass




#### FINISHES:



Black

#### LINE DRAWING:



WS-W33118

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Hawthorne

### Outdoor Wall Sconce 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens
WS-W33125 25"	3000K 90	BK Black	25W	2000	347

Example: **WS-W33125-BK**

For custom requests please contact [customs@wacighting.com](mailto:customs@wacighting.com)

#### DESCRIPTION

Poetic justice. Lighting the high road.

#### FEATURES

- Flat diamond hammered glass diffuser on four sides
- Open bottom for easy cleaning
- Downlight illumination from the light source
- ACLED driverless technology
- 5 year warranty

#### SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC,50/60Hz
CRI:	90
Dimming:	ELV: 100-10% , TRIAC: 100-10%
Rated Life:	54000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL
	Wet Location Listed
Construction:	Aluminum body, glass diffuser




#### FINISHES:



Black

#### LINE DRAWING:



WS-W33125